L	Hits	Search Text	DB	Time stamp
Number	11111	Sealon Text	""	Time Stamp
-	98	("5586328"	USPAT;	2003/06/09
	}	"5655122"	US-PGPUB;	16:39
1		"5687341"	EPO; JPO;	10.05
		"5850452"	DERWENT;	
1		"5535344"		1
			IBM_TDB	
		"5862065"		
l		"4533956"		
		"5257215"		
		"5276892"		<u> </u>
		"5668947"		i
		"5854935"		
		"5884057"		
		"5896521"		
1		"6202204"		
		"6205578"		
		"6223275"		
		"6223275"		
		"6275984"		
1		"6308322"	1	
		"6421696"	1	
		"5671345"		
		"5923882"	1	
1				
-	1	"5361357"		
		"5375242"		
-		"5396631"		!
+	i	"5511198"		!
		"5598561"	1	
1		"5613121"		
}		"5713010"	ļ.	
İ		"5812828"		
		"5832273"		
1		"5838980"		
		"5860008"		
		"6038396"		
1		"6068305"		ľ
}		"6202205"	1	
		"6287765"		
		"6367076"		
ł		"6382846"		
		"6161217"	!	
		"5991538"		
		"4447876"		
			İ	ĺ
		"4574354"		
1		"5481751"		
		"5669011"		
		"5963744"		
		"6002867"		
		"4468813"	•	
		"4519033"		
		"4562305").pn.		
-	154	717/151.ccls.	USPAT;	2003/06/05
			US-PGPUB;	14:01
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	49	717/152.ccls.	USPAT;	2003/06/05
			US-PGPUB;	14:01
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	160	717/159.ccls.	USPAT;	2003/06/05
_	160	/11//109.0013.		
			US-PGPUB;	14:01
			EPO; JPO;	
			DERWENT;	ļ i
			IBM_TDB	

-	45	717/147.ccls.	USPAT;	2003/06/05
			US-PGPUB;	14:02
			EPO; JPO;	
			DERWENT;	
			IBM TDB	İ
_	197	717/146.ccls.	USPAT;	2003/06/05
		, <b>, , , , , , , , , , , , , , , , , , </b>	US-PGPUB;	15:51
			EPO; JPO;	
	·		DERWENT;	
			IBM TDB	1
1_	l 0	WO00/28416.ptpn.	USPAT;	2003/06/05
1	ı	WOOO/ 20410. pcp.11.	US-PGPUB;	15:51
			EPO; JPO;	13.31
			DERWENT;	
		77000 (00 A1 C m h m m	IBM_TDB	2002/06/05
-	0	WO00/28416.ptpn.	USPAT;	2003/06/05
			US-PGPUB;	15:52
1			EPO; JPO;	
			DERWENT;	]
1			IBM_TDB	
-	0	WO00/28416.PTPN.	USPAT;	2003/06/05
			US-PGPUB;	15:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	161	20000518.ptpd.	USPAT;	2003/06/05
			US-PGPUB;	15:53
			EPO; JPO;	
			DERWENT;	l
			IBM TDB	1
_	l o	pct/fr99/02696.pct.	USPAT;	2003/06/05
			US-PGPUB;	15:54
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	"200028416"	USPAT;	2003/06/05
		<del></del>	US-PGPUB;	16:32
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	lol	(reduc\$4 with (intermediate near3	USPAT;	2003/06/05
	]	code\$1)) with (constant) and optimiz\$5	US-PGPUB;	16:39
		and (microprocessor near5 card\$1)	EPO; JPO;	~
		and (microbiocessor nears carda)	DERWENT;	
1			IBM TDB	
_	13	/raduct/ with radundant /intermadiate	USPAT;	2003/06/05
_	13	(reduc\$4 with redundant (intermediate		16:40
		near3 code\$1)) and optimiz\$5 and	US-PGPUB;	10:40
		(microprocessor near5 card\$1)	EPO; JPO;	
			DERWENT;	
<u></u>			IBM_TDB	

Page 2

			<u> </u>	
-	25	(("5586328"	USPAT;	2003/06/09
		"5655122"	US-PGPUB;	16:07
	1	"5687341"	EPO; JPO;	120.07
İ				
1		"5850452"	DERWENT;	
		"5535344"	IBM_TDB	
		"5862065 <i>"</i>	1	
Ì		"4533956"		
		"5257215"		
<b>.</b>	ì	"5276892"		
				<b>}</b>
		"5668947"		<u> </u>
		"5854935"		
		1 "5884057"		
		"5896521"		
		"6202204"		
				1
		"6205578"		İ
		"6223275"		
1		"6223275"		
		"6275984"		
l	1	"6308322"		
		"6421696"	Ì	
		1		
		"5671345"		1
	1	"5923882"	1	1
	i	"5361357"	1	
		"5375242"		
		"5396631"	1	[
		l	1	
		"5511198"		
		"5598561"		
		"5613121"		
		"5713010"		
		"5812828"		
		"5832273"		
				i
		"5838980"		
		"5860008"		
		"6038396"		
	ł	"6068305"		
		"6202205"		
		"6287765"		
	ł	1		
		"6367076"		
		"6382846"		
		"6161217"	Į.	
		"5991538"		
		"4447876"		į į
		"4574354"		<u> </u>
		"5481751"		ĺ
		"5669011"		
		"5963744"	1	
		"6002867"		
		"4468813"		
1		"4519033"		1
		"4562305").pn.) and 717/\$.ccls.		
			IICD TO	2002/05/00
-	3	("5142681"   "5276821"   "5317743").PN.	USPAT	2003/06/09
			1	16:36
[ <b>-</b>	0	6367076.URPN.	USPAT	2003/06/09
1				16:38
! _	o	optimiz\$5 with (intermediate adj	USPAT;	2003/06/10
		program\$1) and (identical near5	US-PGPUB;	08:57
				00.37
		sequence\$1 near5 instruction\$1)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	eliminat\$5 with (identical near5	USPAT;	2003/06/10
		sequence\$1 near5 instruction\$1)	US-PGPUB;	08:54
		sequencey1 hears instruction()	1	00.33
[			EPO; JPO;	
			DERWENT;	
			IBM TDB	ļ l
_	0	optimiz\$5 with (intermediate adj	USPAT;	2003/06/10
}		program\$1) and (identical with sequence\$1	US-PGPUB;	08:53
[			1	00.33
		with instruction\$1)	EPO; JPO;	
[			DERWENT;	
1			IBM TDB	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

-	4	eliminat\$5 with (identical with sequence\$1 with instruction\$1)	USPAT; US-PGPUB;	2003/06/10 08:54
		Bequence(1 with institution)	EPO; JPO;	
j			DERWENT; IBM TDB	
_	9	optimiz\$5 with (intermediate adj	USPAT;	2003/06/10
		program\$1)	US-PGPUB;	08:57
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	307	optimiz\$5 with (intermediate with program\$1)	USPAT; US-PGPUB;	2003/06/10 09:24
		F3	EPO; JPO;	
			DERWENT; IBM TDB	
-	0	optimiz\$5 with (intermediate with	USPĀT;	2003/06/10
		program\$1) and (smart adj card) and (constant near5 fold\$3)	US-PGPUB; EPO; JPO;	09:25
		(Constant hears rordys)	DERWENT;	
_	0	optimiz\$5 with (intermediate with	IBM_TDB USPAT;	2003/06/10
		program\$1) and (chip with card) and	US-PGPUB;	09:25
		(constant with fold\$3)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	optimiz\$5 with (intermediate with program\$1) and (chip with card) and (k	USPAT; US-PGPUB;	2003/06/10 09:25
		with fold\$3)	EPO; JPO;	09.23
			DERWENT; IBM TDB	
_	188	(common with (subexpression or	USPAT;	2003/06/10
		expression) with eliminat\$3)	US-PGPUB; EPO; JPO;	09:26
			DERWENT;	
_	87	((common with (subexpression or	IBM_TDB USPAT;	2003/06/10
	"	expression) with eliminat\$3)) and	US-PGPUB;	09:27
		(optimiz\$5 with intermediate)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	((((common with (subexpression or expression) with eliminat\$3)) and	USPAT; US-PGPUB;	2003/06/10 09:29
		(optimiz\$5 with intermediate)) and	EPO; JPO;	
		((replac\$3 or reduc\$3) with code)) and ((chip with card) or (ATM) or (smart with	DERWENT; IBM TDB	
		card))	_	
-	56	(((common with (subexpression or expression) with eliminat\$3)) and	USPAT; US-PGPUB;	2003/06/10 11:41
		(optimiz\$5 with intermediate)) and	EPO; JPO;	
		((replac\$3 or reduc\$3) with code)	DERWENT; IBM TDB	
-	0	redundancy adj exlining	USPAT;	2003/06/10
			US-PGPUB; EPO; JPO;	11:45
			DERWENT;	
_	0	redundancy with exlining	IBM_TDB USPAT;	2003/06/10
		<del>_</del>	US-PGPUB;	11:45
			EPO; JPO; DERWENT;	
	0	rodundancy came ovlining	IBM_TDB USPAT;	2003/06/10
-	"	redundancy same exlining	US-PGPUB;	11:46
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	0	redundancy and exlining	USPĀT;	2003/06/10
	:		US-PGPUB; EPO; JPO;	12:33
			DERWENT;	
L			IBM_TDB	

-	63	peephole adj optimiz\$6	USPAT;	2003/06/10
			US-PGPUB;	12:35
	!		EPO; JPO;	
			DERWENT;	
	1		IBM TDB	İ
l <b>-</b>	6	(peephole adj optimiz\$6) with	USPAT;	2003/06/10
		(intermediate)	US-PGPUB;	13:14
		,	EPO; JPO;	
	!		DERWENT;	
	1	•	IBM TDB	
l _	7	K\$1folding	USPAT;	2003/06/10
		,,	US-PGPUB;	13:37
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
l _	l 0	(replac\$5 near5 (identical near5	USPAT;	2003/06/10
		sequence)) with intermediate	US-PGPUB;	13:38
		bequence,, when intermediate	EPO; JPO;	1
			DERWENT;	
1			IBM TDB	
_	ا م	(replac\$5 near5 (identical near5	USPAT;	2003/06/10
"	1	sequence)) and (optimiz\$6 with	US-PGPUB;	13:39
		intermediate)	EPO; JPO;	-0.00
		Intelmediate)	DERWENT;	
			IBM TDB	1
l _	119	   (replac\$5 near5 (identical near5	USPAT;	2003/06/10
-	119	(replaces hears (rdentical hears	US-PGPUB;	13:39
	}	sequence))	EPO; JPO;	13.33
			DERWENT;	
			IBM TDB	
		//wowlasts moore /identical moore	USPAT;	2003/06/10
-	4	((replac\$5 near5 (identical near5 sequence))) and (table with (identical		13:40
,			US-PGPUB;	13.40
		near5 sequence))	EPO; JPO;	1
	1		DERWENT;	
	740	/	IBM_TDB	2003/06/11
_	748		USPAT;	10:09
		near5 sequence\$1)	US-PGPUB;	10:09
İ			EPO; JPO;	
1			DERWENT;	
	1.0	//www.sca as seminacca) with /identical	IBM_TDB	2003/06/11
-	16		USPAT;	10:08
		near5 sequence\$1)) and (table with code)	US-PGPUB; EPO; JPO;	10:08
			DERWENT; IBM TDB	
		("4821183"   "5500942"   "5652852"	USPAT	2003/06/11
-	6	("4821183"   "5500942"   "5652852"     "5815721"   "5852741"   "6044450").PN.	OSFAI	09:34
			USPAT	2003/06/11
-	0	6263429.URPN.	OSEAT	09:50
	30277	(compressed or compacted) with	USPAT;	2003/06/11
-	302//	(compress\$3 or compact\$3) with intermediate	US-PGPUB;	10:08
		Intermediate	EPO; JPO;	10.00
			DERWENT;	
	105	/compage2 on compage2) with	IBM_TDB	2003/06/11
_	195		USPAT;	10:47
		(intermediate near5 (code\$1 or	US-PGPUB;	10:47
		program\$1))	EPO; JPO;	
			DERWENT;	
		44 42	IBM_TDB	2002/06/11
-	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2003/06/11
I		(intermediate near5 (code\$1 or	US-PGPUB;	10:13
1		program\$1))) and ((reduc\$3 or replac\$3)	EPO; JPO;	
		with (identical near5 sequence\$1))	DERWENT;	
	_		IBM_TDB	2002/06/11
-	2	[	USPAT;	2003/06/11
		(intermediate near5 (code\$1 or	US-PGPUB;	10:14
		program\$1))) and ((reduc\$3 or replac\$3)	EPO; JPO;	
		same (identical near5 sequence\$1))	DERWENT;	
	1		IBM_TDB	

		<del>`</del>	
7			2003/06/11
	• = · · · · · · · · · · · · · · · · · ·	1	10:14
	program\$1))) and (identical near5	EPO; JPO;	
	sequence\$1)	DERWENT;	
	-	IBM_TDB	
32	(compact\$3) with (intermediate near5	USPAT;	2003/06/11
	(code\$1 or program\$1))	US-PGPUB;	10:36
		EPO; JPO;	
		DERWENT;	
		IBM TDB	i
163	(compress\$3) with (intermediate near5	USPAT;	2003/06/11
		US-PGPUB;	10:47
	(0000,000,000,000,000,000,000,000,000,0	EPO; JPO;	l
		DERWENT;	l i
		IBM TDB	
12	((compress\$3) with (intermediate near5	USPAT;	2003/06/11
	(code\$1 or program\$1))) and (reduc\$3 with	US-PGPUB;	10:48
		EPO; JPO;	
	,	DERWENT;	
		IBM TDB	
2	6199128.pn.	USPAT;	2003/06/11
		US-PGPUB;	14:21
		EPO; JPO;	
		DERWENT;	
		IBM TDB	
2	6308317.pn.	USPAT;	2003/06/11
_	•	US-PGPUB;	14:21
		EPO; JPO;	
		DERWENT;	
		IBM TDB	
523	712/245.ccls.	USPAT;	2003/06/12
		US-PGPUB;	09:07
		EPO; JPO;	
		DERWENT;	
		IBM TDB	
	163 12 2	<pre>(compact\$3) with (intermediate near5 (code\$1 or program\$1))  (compress\$3) with (intermediate near5 (code\$1 or program\$1))  ((compress\$3) with (intermediate near5 (code\$1 or program\$1))) and (reduc\$3 with code with size)  2 6199128.pn.</pre> 2 6308317.pn.	(intermediate near5 (code\$1 or program\$1)) and (identical near5 sequence\$1)  32 (compact\$3) with (intermediate near5 (code\$1 or program\$1))  13 (compress\$3) with (intermediate near5 (code\$1 or program\$1))  14 (compress\$3) with (intermediate near5 (code\$1 or program\$1))  15 ((compress\$3) with (intermediate near5 (code\$1 or program\$1))  16 (compress\$3) with (intermediate near5 (code\$1 or program\$1)) and (reduc\$3 with code with size)  17 (code\$1 or program\$1)) and (reduc\$3 with code with size)  18 (compress\$3) with (intermediate near5 (code\$1 or program\$1)) and (reduc\$3 with code with size)  19 (compress\$3) with (intermediate near5 (code\$1 or program\$1)) and (reduc\$3 with code with size)  2 (compress\$3) with (intermediate near5 (code\$1 or program\$1)) and (reduc\$3 with code with size)  2 (compress\$3) with (intermediate near5 (code\$1 or program\$1)) and (reduc\$3 with code with size)  2 (compress\$3) with (intermediate near5 (code\$1 or program\$1)) and (reduc\$3 with code with size)  3 (compress\$3) with (intermediate near5 (code\$1 or program\$1)) uspaT; uspeguB; epo; JPO; DERWENT; IBM_TDB uspaT; uspeguB; epo; JPO; DERWENT; IBM_TDB uspaT; uspeguB; epo; JPO; DERWENT; uspeguB; epo; JPO; DERWENT;